

**BUILT-IN AIR
CURTAIN**

BURGLAR-PROOF

**RC 3 CLASS
CERTIFICATION**

TK35 RC 3

**AUTOMATIC BURGLAR-PROOF
ENTRANCE WITH BUILT-IN
AIR CURTAIN**

FAAC

TK35 RC 3

RC 3 AUTOMATIC
CERTIFIED
DOOR



WHY CHOOSE AN RC 3 DOOR?

CERTIFIED SAFETY



GUARANTEED VISIBILITY



ENERGY EFFICIENCY



WATCH
THE RC 3
TEST
VIDEO



The **FAAC TK35 RC 3** automatic entrance is designed and manufactured to offer the same level of protection as an armoured door, making it ideal for securing entrances to shops, supermarkets, jewelry stores, public buildings, and green buildings—all without the need for external protective shutters.

**BUILT-IN AIR CURTAIN
AND INNOVATIVE ENERGY
SAVING SYSTEM**



INSTALLATION ON
ESCAPE ROUTES AND
EMERGENCY EXITS



**SIMPLY CONNECT
INTERFACE**
COMMUNICATION
AND DIAGNOSIS VIA
SMARTPHONE



TK35 RC 3

RC 3 AUTOMATIC
CERTIFIED
DOOR

In addition to its protective features, the **TK35 RC 3** is designed to meet all safety requirements. It includes monitored protection sensors in compliance with European Standard **EN16005**, along with advanced systems that continuously detect and control the position of the door leaves, adjusting their speed and force as needed. Lastly, the innovative **Energy Saving** device enables **FAAC** entrances to detect the actual direction of foot traffic and open only for the required time, minimizing unnecessary energy use.

Complete automatic door consisting of a robust self-supporting extruded aluminium frame with 35 mm profiles, **featuring a special anti-intrusion profile**.

Shatterproof glazing in class P5A from 44.6/10/33.2, on request, with low-emission characteristic, or in **class P6B** from 66.8-6-33.2.

Certified both with and without built-in air curtain.

Flush-mounted stainless steel floor guide with continuous ground track across the entire width of the sliding doors.

Finishing of doors and structure by oxidation or painting in RAL colours.

Multi-point security lock system installed on the vertical uprights of the mobile doors.

Thermal and acoustic closure by perimeter brushes.

Door life cycle: 1 million cycles, which contributes to the overall sustainability of the product.



MAXIMUM TAMPER-PROOF SECURITY

A continuous floor guide at the bottom of the door and a **special tamper-proof device prevent door leaves** from being forced open.



VISIBILITY AND PROTECTION

No visible barriers are present, allowing the glazed **surface to remain transparent and visually appealing**, ensuring a high aesthetic standard. Additionally, the use of **special P5A-class** shatterproof armored glass provides exceptional resistance.



CERTIFICATION EU

Class RC 3 certification in accordance with the European **EN 1627** standard guarantees a high level of security against break-in attempts by experienced thieves using hand tools such as wedges, screwdrivers, pincers and crowbars.



EN16005

EN1627



TK35 RC 3

RC 3 AUTOMATIC
CERTIFIED
DOOR

**SPECIAL
ANTI-INTRUSION
PROFILE**

**VISIBILITY AND
PROTECTION**

**MAXIMUM
TAMPER-PROOF
SECURITY**

**THERMAL
AND ACOUSTIC
CLOSURE**

**DOOR LIFE CYCLE:
1 MILLION
CYCLES**



